



---

# Reconditioned catalytic converters Bentley Bentayga 6.0 W12 2016-



**Product codes:**

Reference: REG-BENTLEY001

EAN13: -





---

**Product features:**

Cartridge material: Metal - type S  
Producer: OE  
Engine capacity: 6.0 W12  
Year of production: 2016-  
Horsepower: 608 HP  
OE number: 36A131703, 36A178AA  
Product type: Regenerated  
Engine code: DDB, DDBB  
Warranty: 12 months

**Product attributes:**

Capacity (cpsi): 200, 400, 600

**Product description:****WITH A DEPOSIT**

Purchase without returning the old part - we ship the goods immediately. You can return your old catalytic converter within 30 days of purchase and receive a refund of your deposit. The delivered part must be complete, original, marked with OE number and must be free of mechanical damage and traces of tampering.

**WITHOUT A DEPOSIT**

Purchase with passing the old part, we ship the goods after you deliver your old catalytic converter. The delivered part must be complete, original, marked with the OE number, and must not have mechanical damage and traces of tampering.

**Catalytic converter regeneration involves replacing worn-out inserts with new metal ones, restoring the system to full efficiency and meeting EURO 6 emissions standards. The regeneration process uses high-quality metal inserts with a flow capacity of 600 cpsi, matching the specifications of the original. Thanks to these inserts, no errors appear in the engine control unit. In rare cases, however, it may be necessary to manually clear the error using computer diagnostics, which is a standard procedure following the replacement of exhaust system components.**

**Depending on your needs and expected performance, we offer the following options:**

- **200 cpsi** - highest capacity, in most cases causes the check engine light to come on - requires engine program intervention.
- **400 cpsi** - reduces the risk of engine error, in many cases works without interference. However, it depends on the condition of the car, the condition of the fuel injectors, the efficiency of lambda probes and the quality of the fuel-air mixture.
- **600 cpsi** - guarantees no engine errors, no modifications required.

