



---

copy of Regenerated catalytic converter OPEL ASTRA J 1.4  
140 hp 2015-2020 EURO 6



**Product codes:**

Reference: REG-OPEL-ASTRA2

EAN13: -





---

**Product features:****Product attributes:****Product description:**

The subject of the offer is the regeneration of the catalytic converter, which involves welding a new metal catalytic converter insert into the original housing. The dimensions of the cartridge are optimally matched to this car in terms of diameter and length and are 125/100 mm. The emission standard of the cartridge is Euro 6 and the capacity is 400 cpsi. The manufacturer of the cartridge is RFC company and the cartridge has all the necessary approvals and a 12-month warranty.

We do the regeneration in one day and send you back the catalyst ready for installation.

Sending the catalyst to us fill out the form :

<https://regeneracjakatalizatorow.pl/pl/content/6-regeneracja-katalizatorow>

Also, do not forget to remove the cause of faster wear of the cartridge, if its wear has occurred faster than standard the cause may be oil or fuel entering the exhaust system. If you have a gas installation and in addition it is not adjusted too well, it also contributes to faster wear of the original ceramic cartridges, which are not resistant to the higher temperature of gas combustion.

If you feel up to it, you can also replace the cartridge yourself, which you can buy from the link below:

[https://regeneracjakatalizatorow.pl/pl/universalne/277-2811-wklad-katalizatora-universalny-rfc-5904347540746.html#/37-dlugosc\\_wkladu-100\\_mm/50-srednica\\_wkladu-125\\_mm/59-norma\\_euro-euro\\_6/63-przepustowosc\\_cpsi-400](https://regeneracjakatalizatorow.pl/pl/universalne/277-2811-wklad-katalizatora-universalny-rfc-5904347540746.html#/37-dlugosc_wkladu-100_mm/50-srednica_wkladu-125_mm/59-norma_euro-euro_6/63-przepustowosc_cpsi-400)

You need to cut the original housing and weld the cartridge in place of the original one along with the entire housing. The cartridge should be installed in accordance with the arrow engraved on the cartridge housing, which indicates the direction of the exhaust gas flow.

**OE NUMBERS:**

25195102

6528798171

55569312

55579264



---

55579746

55596551

855446

855448

855558

860153

25195100